# 2005 FSIS National Residue Program Scheduled Sampling Plans

# 2005 FSIS National Residue Program Scheduled Sampling Plans

United States Department of Agriculture Food Safety and Inspection Service Office of Public Health Science

# **Table of Contents**

Preface, Contacts, and Acknowledgements	X
Introduction	xi
Components of the National Residue Program	xiii
Domestic Sampling Plan	xiii
Import Sampling Plan	xiv
Summary Tables: Domestic and Import Sampling Plans	1
AMDUCA Prohibited Drugs	1
Veterinary Drugs	2
Pesticides	5
Environmental Contaminants	7
Overview of the National Residue Program Design	8
Design of the Domestic Scheduled Sampling Plan for Veterinary Drugs	9
Selecting and Ranking Candidate Drugs	10
Prioritizing Candidate Drugs	16
Identifying Compound/Production Class (C/PC) Pairs	17
Allocation of Sampling Resources	18
Scoring Key	23
Design of the Import Scheduled Sampling Plan for Veterinary Drugs	51
Selecting and Ranking Candidate Drugs	52
Prioritizing Candidate Drugs	52
Identifying Compound/Production Class (C/PC) Pairs	53
Allocation of Sampling Resources	53
Design of the Domestic Scheduled Sampling Plan for Pesticides	80
Selecting and Ranking Candidate Pesticides	81
Prioritizing Candidate Pesticides	83
Identifying Compound/Production Class (C/PC) Pairs	84
Allocation of Sampling Resources	84
Scoring Key	86
Design of the Import Scheduled Sampling Plan for Pesticides	108
Selecting and Ranking Candidate Drugs	109
Prioritizing Candidate Drugs	109
Identifying Compound/Production Class (C/PC) Pairs	109
Allocation of Sampling Resources	109
Scheduled Sampling Plans for Environmental and Processing Contaminants	119
Environmental Contaminants	120
Processing Contaminants	120

Sampling Plan for Specifically Designed Surveys	122 122
Carbadox	122
Summary of the Domestic and Import Scheduled Sampling Plans	123
Domestic Sampling Plan Import Sampling Plan	124 124
Import Samping 1 ian	12
Adjustments to the 2004 NRP Sampling Plans	148
Tables	
2005 NRP Summary Table I. AMDUCA Prohibited Drugs	1
2005 NRP Summary Table II. Veterinary Drugs	2
2005 NRP Summary Table III. Pesticides	5
2005 NRP Summary Table IV. Environmental Contaminants	7
Table 1. Scoring Table for Veterinary Drugs	27
Table 2A. Drugs Banned for Extra-label use under AMDUCA	29
Table 2B. Rank and Status of Veterinary Drugs	30
Table 3A. Production Classes Considered for each Veterinary Drug or Drug Class (AMDUCA Drugs)	33
Table 3B. Production Classes Considered for each Veterinary Drug or Drug Class	34
Table 4. Estimated Relative Consumption for Domestically Produced Food Animals and Egg Products	37
Table 5. Veterinary Drug Compound/Production Class Pairs, Sorted by Sampling Priority Score	40
Table 6A. Adjusted Numbers of Analyses for each Veterinary Drug Compound/Production Class Pair: Full Resource Sampling	43
Table 6B. Adjusted Numbers of Analyses for each Veterinary Drug Compound/Production Class Pair: Limited Resource Sampling	46
Table 7. Product Classes Considered for each Veterinary Drug or Drug Class	57
Table 8. Estimated Annual Amount (in pounds) of Product Imported	58
Table 9 Estimated Annual Amount (in pounds) of Product Imported per Country	59

Table 10. Relative Annual Amount of Product Imported per Country	64
Table 11. Number of Drug Samples per Product Class	69
Table 12. Number of Samples per Product Class for Pork, Processed	71
Table 13. Number of Samples per Product Class for Veal, Processed	71
Table 14. Number of Samples per Product Class for Mutton and Lamb, Processed	71
Table 15. Number of Samples per Product Class for Goat, Fresh	72
Table 16. Number of Samples per Product Class for Turkey, Fresh	72
Table 17. Number of Samples per Product Class for Turkey, Processed	72
Table 18. Number of Samples per Product Class for Chicken, Fresh	73
Table 19. Number of Samples per Product Class for Varied Combination, Fresh	73
Table 20. Number of Samples per Product Class for Varied Combination, Processed	73
Table 21. Number of Samples per Product Class for Beef, Fresh	74
Table 22. Number of Samples per Product Class for Beef, Processed	75
Table 23. Number of Samples per Product Class for Pork, Fresh	76
Table 24. Number of Samples per Product Class for Chicken, Processed	77
Table 25. Number of Samples per Product Class for Veal, Fresh	78
Table 26. Number of Samples per Product Class for Mutton and Lamb, Fresh	79
Table 27. Scoring Table for Pesticides	91
Table 28. Rank and Status of Pesticides	99
Table 29. Pesticide Compound/Production Class Pairs, Sorted by Sampling Priority Score and with Adjusted Numbers of Analyses	106
Table 30. Number of Pesticide Samples per Product Class	113
Table 31. Number of Samples per Product Class – Processed Pork	114
Table 32. Number of Samples per Product Class – Processed Veal	114
Table 33. Number of Samples per Product Class – Processed Mutton-Lamb	114
Table 34. Number of Samples per Product Class – Fresh Goat	114

Table 35. Number of Samples per Product Class – Fresh Turkey	114
Table 36. Number of Samples per Product Class – Processed Turkey	115
Table 37. Number of Samples per Product Class – Fresh Chicken	115
Table 38. Number of Samples per Product Class – Fresh, Varied Combination	115
Table 39. Number of Samples per Product Class – Processed, Varied Combination	115
Table 40. Number of Samples per Product Class – Fresh Beef	116
Table 41. Number of Samples per Product Class – Processed Beef	116
Table 42. Number of Samples per Product Class – Fresh Pork	117
Table 43. Number of Samples per Product Class – Fresh Veal	117
Table 44. Number of Samples per Product Class – Fresh Lamb-Mutton	118
Table 45. Number of Samples per Product Class – Processed Chicken	118
Table 46. Number of Scheduled Samples per Production Class for Lead and Cadmium	120
Table 47. Domestic Exploratory Project for Carbadox	122
Table 49. Domestic Sampling Plan: Summary I	125
Table 50. Domestic Sampling Plan: Summary II	131
Table 51. Import Sampling Plan: Summary	134
Table 52. Import Sampling Plan: Number of Compounds per Production Class	141
Table 53. Number of Samples per Country per Production Class	143
Table 54. Domestic and Import Sample Numbers: Combined Summary	144
Equations	
24	
Equation 1. Estimate of Risk	12
Equation 2. Linear Regression Model	13
Equation 3. Relative Public Health Concern, Veterinary Drugs, General Form	14

Equation 4. Relative Public Health Concern	15
Equation 5. Relative Percent of Domestic Consumption	19
Equation 6. Compound Priority Score	19
Equation 7. Percent of Product Class Imported	53
Equation 8. Relative Sampling Priority	54
Equation 9. Percent Product Class Imported per Country	55
Equation 10. Unadjusted Number of Samples per Country	55
Equation 11. Number of Samples after Second Adjustment	55
Equation 12. Relative Public Health Concern, Pesticides, General Form	82
Equation 13. Relative Public Health Concern	82
Equation 14. Relative Sampling Priority	84
Equation 15. Percent Product Class Imported	109
Equation 16. Relative Sampling Priority	110
Equation 17. Percent Product Class Imported per Country	111
Equation 18. Unadjusted Number of Samples per Country	111
Equation 19. Number of Samples after Adjustment Number 2	112
Graphs	
Graph I. Bar Chart for Relative Consumption Data for Bovine, Porcine, Ovine-Caprine, and Avain	38
Graph II. Bar Chart for Combined Relative Consumption Data for 2003 for Bovine, Porcine, Ovine-Caprine, and Avain	39
Graph III. Scatterplot for Violation Rate vs. the Product of Regulatory Concern and the Number of Animals Treated	50

## Appendices

Appendix I. Tissues Required for Laboratory Analytical Testing	149
Table	AI-1
Appendix II. U.S. Residue Limits for Veterinary Drugs and Unavoidable Contaminants in	
Meat, Poultry, and Egg Products	151
Table	AII-2
Appendix III. U.S. Residue Limits for Pesticides in Meat, Poultry, and	
Egg Products	184
Table	AIII-2
Appendix IV. Summary of FSIS Laboratory Analytical Methods	223
Table	AIV-2
Appendix V. Statistical Table	231
Table	AV-1

#### **Preface**

The Food Safety and Inspection Service (FSIS) National Residue Program (NRP), *Blue Book* is a summary of the scheduled domestic and import sampling plans and includes a summary of adjustments to the 2005 NRP. Detailed discussions describing the principals and methods used to plan and design the NRP sampling plans are provided. Development of the sampling plans is divided into individual sections for domestic and import products for veterinary drugs, pesticides, and environmental contaminants. For convenience, tables that report summaries of FSIS sampling plans are provided before the detailed discussions. Four appendices (I-IV) are also provided: tissues required for laboratory analysis; established tolerances for veterinary drugs; established action levels and tolerances for pesticides; FSIS laboratory analytical methods; and a statistical table that describes the probability of detecting a violation given a specified sample size.

#### **Contacts and Comments**

Questions about the FSIS NRP should be directed to the USDA-FSIS Zoonotic Diseases and Residue Surveillance Division, Residue Branch, 344 Aerospace Center, 1400 Independence Avenue, SW, Washington, DC 20250-3700, telephone (202) 690-6566, fax (202) 690-6565.

#### Acknowledgements

We would like to acknowledge Dr. Alice Thaler, Director, Zoonotic Diseases and Residue Surveillance Division (ZDRSD), FSIS, USDA, and Dr. Harry Walker, who advised the working team during the execution of this project. We would also like to acknowledge the efforts of Dr. Randy Sutton, Dr. Jay Vodela, Ms. Penny Zervos, Ms. Margaret O'Keefe, and Dr. Doritza Pagan-Rodriquez in the preparation of this document and the FSIS Laboratories who finalized Appendix IV. We would also like to acknowledge the members of the Surveillance Advisory Team for their extensive contributions to the planning of the 2005 FSIS National Residue Program.

Dr. William Sutton USDA/FSIS/OPHS/ZDRSD Dr. Jay Vodela USDA/FSIS/OPHS/ZDRSD

#### Introduction

The Food Safety and Inspection Service (FSIS), the U.S. Department of Agriculture's public health regulatory agency, works with the Environmental Protection Agency (EPA) and the Department of Health and Human Service's Food and Drug Administration (FDA), to control animal drug, pesticide, and contaminant residues in meat, poultry, and egg products. Residue control is a cooperative effort. EPA and FDA have statutory authority for establishing residues tolerances\*, and FSIS, through the National Residue Program (NRP) tests animal tissues and egg products to verify that tolerance levels are not violated.

FDA, under the Federal Food Drug and Cosmetic Act, establishes tolerance levels for animal drugs, food additives, and unavoidable contaminants. EPA, through the Federal Insecticide, Fungicide and Rodenticide Act (as modified by the Food Quality Protection Act), sets tolerance levels for registered pesticides. For cancelled pesticides, action levels (similar to tolerances, but less formal) are established by FDA or FSIS, based on recommendations that EPA published in the Federal Register. FDA and EPA also have the authority to ensure compliance with established tolerance levels.

FSIS protects consumers from chemical residues by analyzing meat, poultry, and egg products, and to prevent product adulterated with chemical residues from entering the food supply. This authority is provided under the Federal Meat Inspection Act, the Poultry Products Inspection Act, and the Egg Products Inspection Act. FSIS regulations are published in Title 9 of the Code of Federal Regulations (9 CFR), chapter III.

Since 1967, FSIS has administered the NRP to collect data on chemical residues in domestic and imported meat, poultry, and egg products. The NRP is designed to provide: (1) a structured process for identifying and evaluating compounds of concern by production class; (2) the capability to analyze for compounds of concern; (3) appropriate regulatory follow-up of reports of violative tissue residues; and (4) collection, statistical analysis, and reporting of the results of these activities.

With the implementation of the Hazard Analysis and Critical Control Points (HACCP) inspection system, another important component of the NRP is to provide verification of residue control in HACCP systems. As part of the HACCP regulation, slaughter and production establishments are required to identify all chemical residue hazards that are reasonably likely to occur, and develop systems to guard against them. A vigilant chemical residue prevention program is essential to foster the prudent use of drugs and pesticides in food animals. In 1999, the NRP was modified to make residue evaluation more consistent with risk assessment principals.

The NRP includes a variety of sampling plans to prevent violative residues from entering the food supply. The range of chemical compounds evaluated for inclusion in the various NRP sampling plans is comprehensive. It includes approved and unapproved animal drugs and pesticides known or suspected to be present in domestic food animals and egg products or in countries exporting products to the U.S. It also includes any other xenobiotic or naturally occurring compounds that may appear in meat, poultry, and egg products and may pose a potential human health hazard.

A violation in a production class (food animal or egg product) occurs when a chemical residue is found and the residue is in excess of an established tolerance. When a violative chemical residue is detected in an animal presented for slaughter or in an egg product, FSIS condemns the adulterated product. If the product has been distributed into commerce, it is subject to a voluntary recall. FSIS notifies FDA of the

violation and assists in obtaining the names of producers and, in the case of food animal products, other parties involved in offering the animals for sale. FDA and cooperating state agencies follow-up with onsite visits to these firms for an educational visit.

If a problem is not corrected, subsequent FDA visits could result in enforcement action, including prosecution. FSIS posts a Repeat Violator List on the agency web site, listing the names and addresses of parties FDA has determined are responsible for more than one drug, pesticide, or other chemical residue violation in a 12-month period. The list provides information helpful to processors and producers working to avoid residue contamination and serves as a deterrent for violators, while enabling FSIS to make better use of resources.

Data gathered in the NRP is used to verify the safety of meat, poultry, and egg products in the United States. The program aids FSIS, FDA, and EPA to enforce Federal laws and regulations, and assists the agencies to design programs to enhance the nation's residue control programs.

<sup>\*</sup>Tolerance levels established by FDA are published in 21 CFR. Tolerance levels established by EPA are published in Title 40 CFR.

### **Components of the National Residue Program**

The NRP is comprised of sampling plans to address chemical and drug residues in domestic and imported food animals and egg products. All products, whether domestic or imported, must fall within the tolerance levels set by Food and Drug Administration (FDA) and Environmental Protection Agency (EPA).

#### I. Domestic Sampling Plan

- Scheduled sampling is random sampling of the healthy animal population. FSIS Headquarters schedules samples for testing once Residue Branch has determined the number of scheduled samples for each compound-production class pair. The number of samples for each compound-production class pair is determined in cooperation with FSIS Senior Management Staff, FSIS Laboratories, the FDA, and the EPA. Samples are scheduled by FSIS on FSIS Form 10,201-3. This form directs public health veterinarians to collect tissue samples for laboratory analysis for a determination of residue levels. Residue level data are used by FSIS for exposure and exploratory assessments and by FDA for regulatory action when a sample is found to contain violative levels of residues. Residue Branch conducts exploratory assessments to obtain information on the occurrence of residues for which there are no tolerances.
- Inspector generated sampling is not scheduled and is not directed by FSIS Headquarters. Inspector generated sampling is conducted by in-plant public health veterinarians, using FSIS sample form, "Form 10,000-2," when there is reason to believe that an animal may have violative levels of residues. Currently, inspector generated sampling targets individual suspect animals and suspect populations of animals. In inspector generated sampling, the carcass is held pending the results of laboratory testing and a carcass that is found to contain violative levels of residues is condemned.
  - Sampling for individual suspect animals is performed in-plant using residue screening tests: Fast antimicrobial screening test (FAST) and swab test on premises (STOP). The FAST and STOP tests are used only for the detection of antimicrobial and sulfonamide residues. If the result of a screening test is positive, the sample is sent to an FSIS laboratory for confirmation. The in-plant inspector selects a carcass for sampling based on professional judgment and public health criteria developed by FSIS. These criteria include the following: Animal disease signs and symptoms; producer history; and results from random scheduled sampling.
  - o Sampling for suspect animal populations is generally directed by regulation, directive, or a notice (e.g. show animals and bob veal).

#### II. Import Sampling Plan

Animal and egg products imported to the US have passed inspection in their country; therefore, import sampling is reinspection. The levels of reinspection are:

- Normal sampling, which is defined as random sampling from a lot;
- *Increased sampling (random sampling)*, which is defined as above the normal sampling as the result of an Agency management decision; and
- *Intensified sampling (biased sampling)*, which is defined as occurring when a previous sample for a type of inspection failed to meet U.S. requirements.

For both normal and increased sampling, the lot is not required to be retained pending laboratory results; however, the importer may retain the lot pending the laboratory results. For intensified sampling, the lot must be held pending laboratory results. The level of reinspection that is applied depends on the country's performance history. The data obtained from laboratory analysis are entered into an FSIS Data Base System, the Automated Import Information System (AIIS). Import sampling is designed to verify that the chemical residue programs in countries exporting meat, poultry, or egg products to the U.S. are equivalent to those in the U.S.